

23 July 2021

SP60, SP80 and SP85 Receiver Support with Spectra Geospatial Origin

The Spectra Geospatial Origin software works with the Spectra Precision® SP60, SP80 and SP85 GNSS receivers, however it does not support all the extended features of these receivers.

Receiver features not supported

The Spectra Geospatial Origin software does not support the following SP60, SP80 and SP85 receiver features:

- Backup RTK
- RTK Bridge
- Startup protection configuration
- Anti-theft alarm configuration
- Long Range Bluetooth
- SMS and email alerts
- Rover UHF repeater functionality
- Base UHF CSD mode
- UHF networking
- Internet base mode
- CSD mode

The communication protocol used between the Origin field software and the Spectra GNSS receivers does not support the above features.

For more information

For more information, contact your local Spectra Geospatial Distribution Partner.

**This document is for informational purposes only and is not a legally binding agreement or offer.
Spectra Geospatial makes no warranties and assumes no obligations or liabilities hereunder.**

**Spectra Geospatial, 10368 Westmoor Drive, Westminster, CO 80021, USA
Spectra Geospatial, Rue Thomas Edison, ZAC de la Fleuriaye – BP 60433, 44474 Carquefou (Nantes), FRANCE**

© 2021, Trimble Inc. All rights reserved. Spectra Geospatial is a Division of Trimble Inc. Spectra Geospatial and the Spectra Geospatial logo are trademarks of Trimble Inc. or its subsidiaries. All other trademarks are the property of their respective owners.